

Model CAM8PRO



CAM8PRO Mixer

8x2 MIC/Line Mixer

BOGEN®


BOGEN'S CAM8PRO MIXER
COMBINES SUPERB PERFORMANCE
WITH A GENEROUS ARRAY OF
FEATURES SELDOM FOUND IN AN
ECONOMICAL RACK-MOUNT UNIT.
PERFECT FOR STUDIO OR FIELD
WORK AND SOLIDLY ENGINEERED,
IT WILL PROVIDE MANY YEARS
OF TROUBLE-FREE OPERATION.

CAM8PRO Key Features

- 8-input MIC/Line Mixer
- Dual Bus Design (Main, AUX)
- Independently Assignable Inputs
- Independent Trim Control
- Independent Low-Cut Filter
- Phantom Power
- Peak or Average LED Output Meter
- Compressor/Limiter
- Adjustable Threshold and Ratio
- Headphone Output

Applications

- Broadcast
- Field production
- Sound Reinforcement
- Mix-Minus
- Boardrooms
- Multimedia



For more information on the CAM8PRO or any other Bogen sound products, please visit our website at: www.bogen.com.





The CAM8PRO mixer provides studio-quality performance and dual-bus flexibility in a compact and economical design. The CAM8PRO has a Compressor/Limiter with Threshold and Ratio Controls as well as a multi-function LED output meter and a headphone jack.

Product Features

- 8x2 MIC/Line Mixer
- 19" W x 1-3/4" H x 7-1/2" D
- Signal-to-Noise Ratio: 90 dB
- Max. Voltage Gain: 96 dB
- Frequency Response: 20Hz to 20kHz \pm 1dB
- Crosstalk (Adjacent Channels): > -90 dB
- Phantom Power (Switchable): +30V DC
- Input Gain/Trim Range: 40 dB
- Low-Cut Filter: 18dB/octave at 100Hz
- Internal Adjustments for Built-in Features

For more than 80 years, Bogen Communications, Inc. has been a leading provider of commercial amplifiers, speakers, and intercom systems for music, paging, and educational applications.

BOGEN[®] **COMMUNICATIONS, INC.**

50 Spring St., Ramsey, NJ 07446, USA
Tel.: 201-934-8500 • Fax: 201-934-9832
www.bogen.com

54-9233-01C 1203

© 2000 Bogen Communications, Inc. All rights reserved.
Specifications subject to change without notice.