

FREE APPLICATION DESIGN SERVICE

Bogen's Application Design Service was created to assist with the design of paging systems for any and every project encountered. It's fast, comprehensive, and **FREE**. So let us design it for you!

The Application Design Service provides:

- **Speaker Placement Design**
- **Complete Bill of Material** – This includes product description, model number, and quantity. We can even fax it to the distributor of your choice for pricing, if you wish.
- **Connectivity Drawings**
- **Scope of Work**
- **Detailed Assumptions**
- **Red-lined Blueprints** (*blueprints must be supplied; AutoCAD® accepted**)


How the Application Design Service works:

1. You provide the information about your project (see the *Design Request Form* on our website: www.bogen.com/requestform.pdf). For any large or complex applications, your local Bogen Field Sales Manager can visit the site for exact specifications.
2. Bogen will provide you with a working technical bid response document... and then all you have to do is deliver it.

Then a copy of the bid will also be sent to your local Bogen Field Sales Manager for immediate follow-up, and to see if you have any questions or need additional assistance.

Put Bogen's Resources and Expertise to Work for You.

No application is too big, small, simple, or complex for Bogen Paging Products.



Call 1-800-999-2809

for more information or to send in a project for us to work on right now.

*AutoCAD® is a registered trademark of Autodesk, Inc.

Accessories, Product*	80-81	High-Fidelity Ceiling Speakers	6-7	Speakers, Ceiling	2, 6-9, 11, 15-16
Ambient Noise Sensor Output Module	40	Horn Speakers	12-13, 16	Speakers, Ceiling, Self-Amplified (24V)	23-24
Ambient Noise Sensor Systems	52	Horn Speakers, Self-Amplified (24V)	26-28	Speakers, Cone	11
Amplifier Features Chart	78	In-ground Speaker	5	Speakers, Drop-In Ceiling	8-9
Amplifier Monitor	47	Input Modules, Advanced	39	Speakers, Drop-In Ceiling, Self-Amplified (24V)	23
Amplifier Specs Chart	79	Insertion Tool	81	Speakers, Easy Design	15-16
Amplifiers	37-47, 53	Intercoms, Desktop	61	Speakers, Easy Install	15
Amplifiers, Black Max Power	44	Interfaces, Telephone	31-33	Speakers, Easy Install, Self-Amplified (24V)	24
Amplifiers, CC-Series Compact	37	Level Controls, 24V Systems	29	Speakers, Foreground	3, 12
Amplifiers, Classic Series	42	Line/MIC Input Modules	39	Speakers, Horn	12-13, 16
Amplifiers, Dual-Channel	44-45	Loop Start Interface/Power Supply	25	Speakers, Horn, Self-Amplified (24V)	26-28
Amplifiers, GA-Series	42	Matching Transformers	54	Speakers, In-ground	5
Amplifiers, Gold Seal Series	41	M-Class Amplifiers	45	Speakers, Metal Box	10
Amplifiers, HTA-Series	46	Messaging & Call Stacking System	51	Speakers, Metal Box, Self-Amplified (24V)	24
Amplifiers, M-Class	45	Metal Box Speakers	10	Speakers, Outdoor	4-5, 12-13, 16
Amplifiers, Modular	38, 40	Metal Box Speakers, Self-Amplified (24V)	24	Speakers, Outdoor, Self-Amplified (24V)	26-28
Amplifiers, Power	44-46	MIC Input Modules	39	Speakers, Passive	1-16
Amplifiers, Power Vector Series	38, 40	Microphones & Accessories	58-60	Speakers, Pendant	2, 6
Amplifiers, Pro-Matrix Digital	47	Microphones, Boundary	60	Speakers, Powered	1
Amplifiers, Public Address	41-42	Microphones, Desktop	58	Speakers, Self-Amplified (24V)	22-29
Amplifiers, Talk Back	53	Microphones, Gooseneck	59	Speakers, Sound Columns	12
Amplifiers, Telephone Paging	43	Microphones, Handheld	59	Speakers, Surface-Mount Ceiling	15
Amplifiers, TPU-Series	43	Microphones, Overhead	60	Speakers, Surface-Mount Ceiling (24V)	24
Amplifiers, Utility	42	Microphones, Wireless	58	Speakers, Vandal-Resistant	12, 14
Amplifiers, Wall-Mount	40	Mini Pendant Speakers	6	Speakers, Wall-Mount	3, 10, 12, 16
Analog Door Phone	54	Mixers	48-51	Speakers, Wall-Mount, Self-Amplified (24V)	24-25
Apogee Sound Intl Speakers	1	Module Adapter	39, 80	Speakers, Weatherproof	4-5, 12-13
Application Design Service, Free	82	Modules, Advanced Input/Output	39-40	Speakers, Weatherproof, Self-Amplified (24V)	26-28
Armadillo Speakers	4-5	Mono AUX Input Module	39	SPL Meter	55
A-Series Speakers	4-5	Mounting Kits	80	Stereo AUX Input Module	39
Attenuators	14, 29	Music & Input Sources	55-57	Stereo Tuner, Digital	55
Audio Enhancement Systems	62	Night Ringer	52	Subwoofer, Ceiling	7
Audio Processor	51	Noise Sensor Systems, Ambient	40, 52	Surface-Mount Ceiling Speakers	15
Automatic Failure Detector Substitutor	47	Office Communications	61-62	Surface-Mount Ceiling Speakers, Self-Amplified (24V)	24
Balanced Input Module	39	Orator	62	System Design Guide	63-77
Beam Clamp	13, 16, 26, 28, 80	Orbit Ceiling Speakers	2	System Design, Free Service	82
Bi-Directional Horn Speaker	13	Orbit Pendant Speakers	2	System Guide, Easy Design	17-21
Black Max Power Amplifiers	44	Outdoor Loudspeakers	4-5, 12-13, 16	Talk Back Amplifier	53
Bogen Signature	3	Outdoor Loudspeakers, Self-Amplified (24V)	26-28	Telephone Access Module	32
Bridging Input Module	39	Output Modules, Advanced	40	Telephone Electronics	54
Buffer/Expander/Volume Control, 24V Systems	29	Paging Controllers	31-36	Telephone Input Module	39
Call Stacking / Messaging	51	Paging Electronics	51-53	Telephone Interfaces	31-33
Call-In Switches	61, 81	Paging Horn Speaker	13	Telephone Paging Amplifiers	43
CD Player	57	Parametric Equalizer Module	40	Tile Bridges	80
Ceiling Speakers	2, 6-9, 11, 15-16	Pendant Speakers	2, 6	Tone Generator	53
Ceiling Speakers, Self-Amplified (24V)	23-24	Power Supplies	25, 30	Tone Generator Input Module	39
Charts	77-81	Power Supply/Loop Start Interface	25	Transformer-Balanced Input Module	39
Classic Series Amplifiers	42	Power Vector Amplifiers	38, 40	Transformers	54, 80
Compressor/Limiter Module	40	Power Vector Mixer	48	Tuners, AM/FM	55
Cone Speakers	11	Powered Loudspeakers	1	Universal Audio Processor	51
Connector Kits	61, 81	Pre-Amplifiers	48-50	Utility Amplifiers	42
Current Units (24V Systems)	22, 68	Pro Audio Speakers	1	Vandal-Resistant Speakers	12, 14
Digital Feedback Elimination	53	Professional Loudspeakers	1	Voice Reinforcement System	62
Digital Stereo Tuner	55	Pro-Matrix Amplifier	47	Voice-Activated Relay	52
Door Phone, Analog	54	Receivers, AM/FM	56-57	VoIP Gateways for Paging	36
Drop-In Ceiling Speakers	8-9	Relay Input/Output Module	40	Volume Control/Buffer/Expander, 24V Systems	29
Drop-In Ceiling Speakers, Self-Amplified (24V)	23	Rigging Kits	80	Wall Baffle Speakers	10, 16
Easy Design Speaker Guide	17-21	Safety Cables	2, 6, 7, 80	Wall Baffle Speakers, Self-Amplified (24V)	25
Easy Design Speakers	15-16	Self-Amplified (24V) Systems	22-30	Wall-Mount Amplifiers	40
Easy Install Speakers	15	Signal Level Control, 24V Systems	29	Weatherproof Speakers	4-5, 12-13, 16
Easy Install Speakers, Self-Amplified (24V)	24	Signal-Processing Output Modules	40	Weatherproof Speakers, Self-Amplified (24V)	26-28
Emergency Bypass Function	14, 29	Signature Series	3	Wide-Angle Horn Speaker	13
Expander/Buffer/Volume Control, 24V Systems	29	Site Survey Check List	72	Zone Paging	33-36
EZ-Series, Speakers	15-16	Sound Column Speakers	12		
Feedback Elimination, Digital	53	Sound Pressure Level Meter	55		
Foreground Speakers	3, 12	Sound Pressure Levels Chart	77		
Free Application Design Service	82	Speakers & Accessories	1-29		
Gold Seal Series Amplifiers	41	Speakers, A-Series	4-5		

* Accessories also shown on product pages.

MODEL INDEX

NOTE: Products are featured on pages
which are listed in boldface type.

Category Index on Page 83

108-2120	80	HSES10	13, 16, 28, 80	S86T725PG8U/WBRVK	11
108-2150	80	HS715/30EZ	16	S86T725PG8U/WBRVR	11
109-2140	80	HTA125/250A	46	S86T725PG8U/WVK	11
109-2151	80	IH8A	13	S86T725PG8U/WVR	11
2518/2520/2522	61, 81	JB	81	S810T725PG8U/W	11
A2/T	4	KFLDS30T	13	S810T725PG8U/WVK	11
A6/T	4	LMM/R1S	39	S810T725PG8U/WVR	11
A8/T	4	M300/450/600	45	SAH5/15/30	26
A12	5	MA3	39, 80	SAX1R	39
ACD2X2U	23	MAC	60	SB6	60
ADP1	54	MAX1R	39	SBA225	61, 81
AFDS2	47	MB8TSL/VR	10	SCR25A	61, 81
AH5/15A	28	MB8TSQ/VR	10	SCU250	60
AMBSL/Q1	24	MBS1000A	58, 61	SCW20/35	12
AMT-12/15	1	MC27	59	SEC4T	11
ANS1R	40	MC28	58	SF4	60
ANS500M	40, 52	MCD1X2/2X2U	9	SGHD8	12
ANS501	52	MCD1X2/2X2UGRILLE	9	SI35A	61
ASM1	24	MCDMOD	9	SLC	29
ASTB4	4, 81	MGN19	59	SM1EZ	15
ASUG1/DK	23	MIC1S/X	39	SM4T	15
ASWB1	25	MIC2S/X	39	SMTB	15, 24, 80
ASWG1/DK	23	MPS1/2 (B/W)	6	SP58A/158A/308A	13
AT10/35A	14	MR8	11, 16, 23, 80	SPS2406/10/25/66	30
ATP10/35	14	MSM	60	SPLM	55
ATS70GB	80	MVP130/210/410/810BG	36	SPT5/15/30A	13
BAL2S	39	NR100	52	SRCA6	81
BBF/S	40, 80	NSM	81	T725/10	81
BBFM6/BBSM6	12	OCS1B/W	2	TAMB2/PS	32, 36, 53
BC1	13, 16, 26, 28, 80	OPS1B/W	2	TB8	11, 16, 23, 80
BCHM	58, 81	ORATOR	62	TBA15	36, 53
BDT30A	13	OSC50PLENUM	62, 81	TBCR	2, 6, 80
BOMDMU	51	OXC1	62, 81	TBL1S	39
BPA60	46	PCM2000	34-35	TBSF	7, 11, 80
BP12DSP, BP15DSP	1	PCMCPUI/TBM/TIM/ZPM	34-35	TCSPT1	13, 16, 28, 80
BRG1R	39	PCMPS2	30, 35, 81	TEL1S	39
BUFEX	29	PCMSYS3	35	TG4C	53
C10, C20	42	PEQ1R	40	TL100/600	46, 80
C35/60/100	42	PI35A	61	TL156	61, 81
CA10A/11A/17	61, 81	PM3180	47	TMA812	5, 80
CAM2	50	PPM8/SP/WJB/WJBSP	81	TNG1S	39
CAM8PRO	49	PPMIT5	81	TPU15A	43
CC4021/41/52	37	PPMKEYPAD	81	TPU35/60/100B	43
CC4052M, CC4062MBT	37	PRS2403	30, 32, 52	TPU250	43
CDR1	57, 61	PRS40C	30, 52, 53	TWK351	61, 81
CK10/B/W	2, 6, 7, 80	PRS48	30, 36, 39	UBP800	58
CMP1R	40	PRSLSI	25, 32, 36	UDMS800BP/HH	58
CORE	51	PVMC	38, 45, 48, 80	UDR800	58
CS1EZ	16	PVSC	38, 48, 80	UHT800	58
CSD1X2/VR(U)	8	RAC5/8	81	URC/200	81
CSD2X2L(U)	8	RE84	11, 16, 23, 80	UT11	31
CSD2X2/VR(U)	8	RIO1S	40	UT1312	33
CSUB	7	RK78	57, 80	V35/60/100/150/250	38
DDU250	58, 61	RMPWMMK3	47, 80	VAR1	52
DFT120	53	RPK35B	42, 50, 80	VMIX	48
DRZ35	56	RPK50	42, 80	VRS1/2	14
DS3	60	RPK53	46, 80	WB1EZ	16
DSM2000	81	RPK79	47, 80	WBS8T725/BR/BRV/V	10
DST1	55	RPK82	43, 80	WBS810T725	10
FG15B/W	12	RPK84	35, 80	WCU250	60
FMH15T	12	RPK86	44, 45, 80	WMAD	40, 80
FMHAR8	12	RPK87	38, 48, 80	WMK1	42, 50, 80
G8G	5	RPK88	35, 80	WMK2	62, 81
GA2/GA6A	42	RPK89	58, 80	WMT1A	41, 42, 43, 46, 53, 54, 61
GCU250	59	RPK90	58, 80	WMT1AS	54
GDU150	59	RPK91	32, 80	WSGCU250	59
GS35/60/100/150/250	41	RPK92	62, 81	WV100/150/250	40
GSRPK	41, 80	RPK93	37, 80	X300/450/600	44
GSRVC	41, 80	RPKUT11	31, 80	XLR25	60, 81
GSTRC	41, 80	RVCP	38, 40, 48, 80	ZPM3	36, 53
HDO100	59	S4/T	3	ZX3	33
HDU150/250	59	S5/T	3		
HFCS1/LP (B/W)	6	S86T725PG8U/W	11		
HFSF1	7	S86T725PG8U/WBR	11		